

Roof hood


HU



Description


For air exit above roof.
 Provided with a female connection which fits outside a ventilation duct.

Dimensions



















Ød nom	ØD [mm]	H [mm]	h [mm]	m kg	Roof through connection TGR	
					50 mm	100 mm
					Size	
100	200	99	264	0,51	3	3
125	225	102	267	0,65	3	4
160	260	105	270	0,81	3	4
200	315	114	273	1,09	3	4
250	400	156	291	1,45	4	5
315	500	185	303	1,99	5	6
400	600	226	344	2,70	5	6

Technical data



Ordering example



Roof hood	HU 							
Roof transition connection piece, upper	AGIS 			TGR-OA 		Sits around the roof transition		
Roof transition	SR	SRI	SRIP	GISOL / GISOLP 	TGR 	VHING / VHINP 	Roof weather protection, outer	
						UG 	Roof weather protection, inner	
						MG / MGL 		Vapour membrane
						SBG1 		Roof transition fastener
Roof transition connection piece, lower					TGR-NA 			
Ducting	SR 			LKR 				

This diagram shows principally all possible combinations of how the products can be joined together. Normally only one alternative is chosen and sometimes some options are omitted.

For some combinations the needed size of a product isn't presented in the catalogue. In these cases the size needed most often can be produced and delivered to order.